

SAFETY DATA SHEET

Freezer Spray

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Supplier

Product name FASTFREEZE[™] Pipe Freeze Spray

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Pipe Freeze Spray for water pipe system isolation.

1.3. Details of the supplier of the safety data sheet

Kibosh Ltd Unit 9 Huddersfield Street Galashiels Scotland, UK TD1 3BF sales@kiboshinnovation.com

1.4. Emergency telephone number

Emergency telephone: <u>Kibosh Ltd</u> +44 (0)1896 753571 <u>Aztec Aerosols</u> +44 (0)1270 656380 (Monday to Friday, 9am to 5pm)

SECTION 2: Hazards identifi	cation
2.1. Classification of the subs	stance or mixture Classification (EC 1272/2008)
Physical hazards	Aerosol 3 - H229
Health hazards	Not Classified
Environmental hazards	Not Classified
Physicochemical	Not considered to be a significant hazard due to the small quantities used. Aerosol containers can explode when heated, due to excessive pressure build-up.
2.2. Label elements	
Signal word	Warning
Hazard statements	H229 Pressurised container: may burst if heated.
Precautionary statements	 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 Do not pierce or burn, even after use. P260 Do not breathe vapour/ spray. P271 Use only outdoors or in a well-ventilated area. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	Contains HFO-1234ze (CAS number: 29118-24-9).



Pipe Freeze Spray

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

	rmation on ingredients	
3.2. Mixtures		
HFO-1234ze CAS number: 29118-24-9	EC number: 471-480-0	60-100% REACH registration number: 010000019758-54-XXXX
Classification Press. Gas (Liq.) - H280 The full text for all hazard state	ements is displayed in Section 16.	
SECTION 4: First aid measure	es	
4.1. Description of first aid mea General information Inhalation	asures Move affected person to fresh air at once. Move affected person to fresh air at once. If	broathing stops, provide artificial
	respiration. Keep affected person warm and	
Ingestion	Rinse mouth thoroughly with water.	
Skin contact	Rinse with water. Get medical attention if an	ny discomfort continues.
Eye contact	Rinse with water. Get medical attention if an	ny discomfort continues.
4.2. Most important symptoms	s and effects, both acute and delayed	
General information	The severity of the symptoms described will length of exposure.	vary dependent on the concentration and the
4.3. Indication of any immedia	te medical attention and special treatment nee	eded
Notes for the doctor Tre	eat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Cool aerosol remove container, if no risk is involved.	containers exposed to heat with water spray and
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	Decomposes on contact with flames and ho	nen heated, due to excessive pressure build-up. t surfaces to produce hydrofluoric acid and ntly or explode when heated, due to excessive
5.3. Advice for firefighters		
Protective actions during Wa firefighting cooled with	arn firefighters that aerosols are involved. Con water.	tainers close to fire should be removed or
Special protective equipment protective for firefighters clo	Wear positive-pressure self-contained to thing.	preathing apparatus (SCBA) and appropriate
SECTION 6: Accidental releas	se measures	
	stective equipment and emergency procedures	2
5.1. Personal precautions, pro		

6.2. Environmental precaution	Pipe Freeze Spray
Environmental precautions	Not considered to be a significant hazard due to the small quantities used.
-	pr containment and cleaning up
Methods for cleaning up	VENTILATE/EVAPORATE.
6.4. Reference to other secti Reference to other sections	
	For personal protection, see Section 8. For waste disposal, see Section 13.
SECTION 7: Handling and s	
7.1. Precautions for safe har	-
Usage precautions	Read and follow manufacturer's recommendations.
7.2. Conditions for safe stora	age, including any incompatibilities
Storage precautions	Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 degrees Centigrade. Do not pierce or burn, even after use.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	rols/Personal protection
8.1. Control parameters	
Ingredient comments	WEL = Workplace Exposure Limits
	HFO-1234ze (CAS: 29118-24-9)
Ingredient com	ments SUP = Supplier's recommendation.
DNEL	Workers - Inhalation; Long term systemic effects: 3902 mg/m ³
	Consumer - Inhalation; Long term systemic effects: 830 mg/m ³
PNEC	Consumer - Inhalation; Long term systemic effects: 830 mg/m ³ - Fresh water; 0.1 mg/l
PNEC 8.2. Exposure controls	
8.2. Exposure controls Appropriate engineering	- Fresh water; 0.1 mg/l
8.2. Exposure controls Appropriate engineering controls	- Fresh water; 0.1 mg/l This product must not be handled in a confined space without adequate ventilation.
8.2. Exposure controls Appropriate engineering controls Personal protection	 Fresh water; 0.1 mg/l This product must not be handled in a confined space without adequate ventilation. Do not eat, drink or smoke when using this product. Eyewear complying with an approved standard should be worn if a risk assessment indicates
8.2. Exposure controls Appropriate engineering controls Personal protection Eye/face protection	 Fresh water; 0.1 mg/l This product must not be handled in a confined space without adequate ventilation. Do not eat, drink or smoke when using this product. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Chemical-resistant, impervious gloves complying with an approved standard should be worn
8.2. Exposure controls Appropriate engineering controls Personal protection Eye/face protection Hand protection Other skin and body	 Fresh water; 0.1 mg/l This product must not be handled in a confined space without adequate ventilation. Do not eat, drink or smoke when using this product. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles. Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

9.1. Information on basic physical and chemical properties Appearance Aerosol.



	Pipe Freeze Spray	
Colour	Colourless.	
Odour	No characteristic odour.	
рН	Neutral.	
Melting point	-108°C	
Initial boiling point and range	-19°C @	
Flash point	Boils without flashing.	
Vapour pressure	4.192 hPa @ 20°C 10.998 hPa @ 54.4°C	
Vapour density	4	
Relative density	1.206	
Solubility(ies)	0.373 g/l @ °C	
Partition coefficient	log Pow: 1.6	
Auto-ignition temperature	368°C	
Comments	Information given is applicable to the major ingredient.	
9.2. Other information		
Other information	Not available.	
Molecular weight	102.4 g/mol	
Volatile organic compound	This product contains a maximum VOC content of 0 g/l.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	Stable at normal ambient temperatures and when used as recommended.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Does not decompose when used and stored as recommended.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	Keep away from oxidising materials, heat and flames.	
10.6. Hazardous decomposition	on products	
	es not decompose when used and stored as recommended. Thermal decomposition or may include the following substances: Toxic and corrosive gases or vapours.	

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information This product has low toxicity. Only large quantities are likely to have adverse effects on human health.

Inhalation

May cause respiratory system irritation.



Pipe Freeze Spray		
Ingestion	No specific health hazards known.	
Skin contact	Skin irritation should not occur when used as recommended.	
Eye contact	Irritating to eyes.	
Acute and chronic health hazards	This product has low toxicity. Only large quantities are likely to have adverse effects on human health.	
Route of exposure	Inhalation	
Target organs	Respiratory system, lungs	
Medical symptoms	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Headache. Fatigue. Nausea, vomiting.	

Toxicological information on ingredients.

Germ cell mutagenicity	HFO-1234ze
Genotoxicity - in vitro	Chromosome aberration, Human lymphocytes .: Negative. Ames test: Negative.
Genotoxicity - in vivo	Gene mutation, (Mammalian bone-marrow cytogenetic test, chromosomal analysis), Mouse, Micronucleus., Inhalation: Negative.
Reproductive toxicity	
Reproductive toxicity - fertility	Two-generation study - NOAEL >20000 ppm, Inhalation, Rat F1, P
Reproductive toxicity development	Maternal toxicity:, NOEC, Developmental toxicity:, NOAEC - : 15000 ppm, Inhalation, Rat

SECTION 12: Ecological information

Ecotoxicity

Toxicity

No data on possible environmental effects have been found.

12.1. Toxicity

Not available.

Acute aquatic toxicity

Ecological information on ingredients.

HFO-1234ze

Acute toxicity - fish	LC ₀ , 96 hours: >117 mg/l, Cyprinus carpio (Common carp)
Acute toxicity - aquatic invertebrates	EC_{50} , 48 hours: >160 mg/l, Daphnia magna
Acute toxicity - aquatic plants	NOEC, Biomass ., Growth rate, 72 hours: >170 mg/l, Algae
Acute toxicity - terrestrial	LC_0 , 4 hours: >207000 ppm, Rat NOEC, Repeated Dose Toxicity, 90 days: 5000 ppm, Rat

12.2. Persistence and degradability

Persistence and degradability Not available.

Ecological information on ingredients.

<u>HFO-1234ze</u>

Persistence and Aerobic Not readily biodegradable. degradability

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.



	Pipe Freeze Spray			
Partition coefficient	log Pow: 1.6			
Ecological information on ingre	edients.			
HFO-1234ze				
Partition coefficie	ent log Pow: 1.6			
12.4. Mobility in soil				
Mobility	Not known.			
12.5. Results of PBT and vPvE	12.5. Results of PBT and vPvB assessment			
Results of PBT and vPvB assessment	Not available.			
12.6. Other adverse effects				
Other adverse effects	Not available.			
SECTION 13: Disposal consid	erations			
13.1. Waste treatment method	<u>s</u>			
General information	Do not puncture or incinerate, even when empty.			
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.			
SECTION 14: Transport inform				
General	This product is packed in accordance with the Limited Quantity Provisions of CDGCPL2, ADR and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Aerosols not so packed and labelled must show the following.			
14.1. UN number				
UN No. (ADR/RID)	1950			
UN No. (IMDG)	1950			
UN No. (ICAO)	1950			
UN No. (ADN)	1950			
14.2. UN proper shipping name				
Proper shipping name (ADR/RID)	AEROSOLS			
Proper shipping name (IMDG) AEROSOLS				
Proper shipping name (ICAO)	AEROSOLS			
Proper shipping name (ADN)	AEROSOLS			
14.3. Transport hazard class(e	<u>es)</u>			
ADR/RID class	2.2			
ADR/RID classification code	5A			
ADR/RID label	2.2			
IMDG class	2.2			
ICAO class/division	2.2			



ADN class	2.2	
Transport labels		



14.4. Packing group	
ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None
ADN packing group	None
14.5. Environmental hazards	

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user		
EmS	F-D, S-U	
ADR transport category	3	
Tunnel restriction code	(E)	

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
National regulations	EH40/2005 Workplace exposure limits.
	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677)
	(as amended).
	The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EU legislation	Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Approved Classification and Labelling Guide (Sixth edition) L131.
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments Revision date	Supplemental information added. 03/01/2020
Revision	2
SDS number	21355
SDS status	Approved.
Hazard statements in full	H229 Pressurised container: may burst if heated. H280 Contains gas under pressure; may explode if heated.



Pipe Freeze Spray

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

